

Loading Notes...

[Return to search results](#)

Permit

Permit Type	Sanitary	Permit No.	5357	Application No.	
State Transaction		County No.			
Permit Subtype	New System	Additional Types			
Building Type	<None>	Addl. Explanation			
Original Applicant	BARTS, MARTIN N. &				
Additional Info					
WI Fund Date		WI Fund Amount	0	<input type="checkbox"/> ISD	
Application Date		Issued On	10/28/1992	Expires On	10/28/1994
Permit Status	Approved	Permit Issuer	None		
Contact Phone		Contact Email			

Document

Properties

Parcel Number	District Name	Alt. Parcel #	Site Address	Receives Mail	Percent Ownership	Action
59004032740	Town of Herman		W3512 STATE HIGHWAY 32	<input checked="" type="checkbox"/>	100%	View

Powts System

System Type	Mound	Installer					
Design Flow(gpd)	300	Soil Application Rate(gpdsf)	1.2	Dispersal Area(sf): Req'd.	250	Proposed	252
Soil Horizon	None	System Elevation	100.2	Final Inspection	8/10/1993	Status	Active

	Capacity New	Capacity Existing	Total	Compartments	Tanks	Manufacturer	Type
Tank	1000		1000	1	1	Tuschl	Prefab Concrete
Chamber	700		700	1			
Pretreatment			0				

Components

Components							
Type	Manufacturer	Interval	Last Service	Next Service	Status	Description	Restricted Service
Pump Chamber	Tuschl Septic Systems Inc. (conc	36	1/7/2022	1/7/2025	Current	/700	

Loading Notes...

Mound	(conc Stone	36	1/7/2022	1/7/2025	Current
Maintenance					
Fees					
Notices					

[Log in](#)

[View Disclaimer](#)

[Database Versions](#)